A Lifestyle Collection



Welcome to 'A Lifestyle Collection' – our comprehensive catalogue which showcases the full range of products offered by MAK Distribution Ltd.

We pride ourselves on our excellent reputation for providing top quality products and excellent customer service. We are completely dedicated to total customer satisfaction and our enthusiastic service team are always happy to help.

With a wealth of experience and knowledge we are recognised as one of the UK's leading distributors of kitchen components supplying the UK Kitchen trade.

MAK Distribution is ideally placed in a central distribution network with close links to major motorways. We offer nationwide delivery to your specified address. Alternatively you can call and collect and whilst here meet the team and have a look at our showroom and presentation area showcasing our kitchen ranges.

■ Close to M18 Junction 4 (2 miles)
■ Robin Hood Airport (11 miles)
■ Doncaster Train Station (4 miles).

#### **MAK Distribution Ltd**

Units 3-6 Century Close, Kirk Sandall Industrial Estate, Doncaster, South Yorkshire, DN3 1TR T: 01302 888744 F: 01302 888687 E: sales@makdistribution.co.uk www.makdistribution.co.uk







## Customer Services

MAK Distribution offers a personal and friendly service. Our aim is to enable our customers to be able to place their orders with ease. Our products are sourced from some of the world's best suppliers and held in stock here in Doncaster.

# Our customer services is open:

8.30am to 5pm, Monday - Friday.

## Orders can be placed via:

Phone: 01302 888744 Fax: 01302 888687

Email: sales@makdistribution.co.uk

Or via the website with our new online ordering system.

Connect with us:



## CD image library

All our images are available to order on a CD. Please contact customer services.

## **Brochures**

"A Lifestyle Collection" comes in two different formats to enable selling our products easier for you.



A catalogue specifically designed for **Trade Only.** 

A brochure specifically designed for **Retail Only**.



## **Email Newsletter:**

Our email newsletters keep you fully informed of all our latest products, offers and promotions.

To receive our newsletter please contact customer services on:

01302 888744



# Online Services – visit us @ www.makdistribution.co.uk

Browse the website to find all the components you require to design and build your perfect kitchen for your customers. Specially designed to easily navigate around you will find everything you need, making ordering easy.

- All of our catalogues, brochures and newsletters are also available to download on the website.
- Our technical Guides offer detailed analysis of our core products available online.
- One touch online order system



# Ordering online with MAK is easy

With a few simple steps your order will be placed, confirmed and despatched with one touch!

- Log on to your account via the website www.makdistribution.co.uk
- Place your order, advise delivery details
- Complete your order
- Stock will be instantly allocated and confirmation sent
- Goods will be despatched
- Review your account online:
   Print statements, Invoices and check account status

Please contact customer services on: 01302 888744





Doors	8-29
Door Collections at a Glance	8-9
Jazi	10-17
Urbani	18-19
Priory	20-21
Westwood	22-23
Gainsborough	24-25
Vermuyden	26-27
Glebe	28-29
The Colour Studio	30-47
The Timber Colour Studio	32-37
The Matt Colour Studio	38-41
The Gloss Colour Studio	42-47
Worktops	48-65
Granite Worktops	50-52
Quartz Worktops	53-55
Granite and Quartz Edge Profiles	56-57
Mistral Worktops	58-61
Timber Worktops	62-65

ASTRACAST Sinks & Taps	66-87
Sink and Tap Packs	67
Stainless Steel Layon Sinks	68-71
Composite Sinks	72-73
Ceramic Layon Sinks	74-75
Stainless Steel Undermount Sinks	76-81
Ceramic Undermount Sinks	82-83
Taps	84-87
Door Handles	88-91
Accessories	92-97
Sige Storage Solutions	98-117
DOMUS Line - Lighting	118-141
Carcases	142-145
Hettich	146-150
Misc Fitting	151-153
Technical Information	154-163



# Door Collections at a Glance

Jazi Handleless. 22mm Lacquered.















Jazi Ivory

Page 16



Urbani Gloss Slab. 18mm Lacquered.











Urbani Paint to Order Pages 38 – 47

Priory Shaker. 20mm Matt Foil.





# Door Collections at a Glance

#### Westwood, Solid Timber Shaker, 20mm,



Westwood Natural Page 22



Westwood Ivory Page 23



Westwood Sanded Ash



Westwood Sanded Oak



Westwood Paint to Order Pages 32 – 37

### Gainsborough. Solid Timber In-Frame Effect. 20mm.



Gainsborough Alabaster Pages 24-25



Gainsborough Ash



Gainsborough
Paint to Order
Pages 32 – 37

## Vermuyden. Solid Timber. 22mm.



Vermuyden Oak Page 26



Vermuyden Cream Page 27



Vermuyden Paint to Order Pages 32 – 37

#### Glebe. Solid Timber Raised Centre Panel. 20mm.



Glebe Natutral Page 28



Glebe Alabaster Page 29



Glebe Paint to Order Pages 32 – 37













































# The Timber Colour Studio

Pages 32-37



## The Matt Colour Studio

Pages 38-41



## The Gloss Colour Studio

Pages 42-47



## The Timber Colour Studio

#### Door options

Westwood

Page 33

Gainsborough

Pages 34-35

Glebe

Page 36

Vermuyden

Page 37

All Timber painted orders are on a 10 day lead time.

We are able to paint our Timber doors in any branded colour as a alternative option.



#### Colour Collection



For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.











## The Matt Colour Studio

### Door options

Jazi

Pages 39-40

Urbani

Page 41

All Matt painted orders are on a 10 day lead time.

We are able to paint our Matt doors in any branded colour as a alternative option.



### Colour Collection



For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.







### The Gloss Colour Studio

Door options

Pages 43-45

Urbani

Pages 46-47

All Gloss painted orders are on a 4 week lead time.

For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.



### Colour Collection

















Silver Grey Jazi Stocked Urbani Paint to Order



Black Jazi Paint to Order Urbani Paint to Order













Champagne Metallic Jazi Paint to Order Urbani Paint to Order

Copper Metallic Jazi Paint to Order Urbani Paint to Order

Antique Gold Metallic Jazi Paint to Order Urbani Paint to Order

Eastern Gold Metallic Jazi Paint to Order Urbani Paint to Order







Red Metallic

Jazi Paint to Order

Urbani Paint to Order





Aubergine

Jazi Paint to Order











Aubergine Metallic



Galaxy Sparkle Metallic Pink & Black Sparkle Metallic Jazi Paint to Order Jazi Paint to Order Urbani Paint to Order Urbani Paint to Order



Jazi Paint to Order

Urbani Paint to Order

Lime Metallic Jazi Paint to Order Urbani Paint to Order

Blue Metallic Jazi Paint to Order Urbani Paint to Order













# A Lifestyle Collection

The 'Worktop Studio' is a collection of timeless and luxurious kitchen work surfaces.

The collection comprises Granite, Quartz, Solid Surface and Timber Worktops to suit all tastes from traditional to contemporary.

The range offers the most popular options for discerning customers.

### Contents

Granite Colour Palette


Quartz Colour Palette

Granite and Quartz Edge Profiles


Imagine with Mistral


Timber Worktops





### Granite Group 1





Black Pearl Group 1

Eden Grey Group 1





Steel Grey Group 1

Tan Brown Group 1

For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.

# Granite Group 2 and 3



Impala Group 2




Verde Ubatuba Group 2



Baltic Brown Group 3



Ivory White Fantasy Group 3



Premium Black Group 3





# Granite Group 4 and 5





Blue Pearl Group 4

Emerald Pearl Group 4





Nero Cosmos Group 4

Star Galaxy Group 4



Giallo Veneziano Group 5

### Quartz Group 4







Dark Mist Group 4



Light Mist Group 4

For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.





# Quartz Group 4



Sand Group 4



Blanco Star Group 4

For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.


# Quartz Group 4



Beige Star Group 4



Nero Star Group 4



Grey Star Group 4





# Edge Profiles







Double Chamfer







Half Bullnose



Full Bullnose



Dupont



Sharknose



Ogee



Dupont and Full Bullnose 60mm







### Durable and Strong!

MISTRAL worktops are entirely non-porous so there are no moisture ingress problems and without a substrate there are no internal joints that may undermine the structural integrity of the worktop.

### 10 Year Manufacturer's Guarantee

### - Field Tested!

Our 25mm solid surface worktops have been tested in a variety of high impact commercial applications for over 10 years. Be assured, MISTRAL worktops are designed and produced to last!.

### Beautifully Seamless Joints!

MISTRAL worktops can be jointed and finished so that the seams are not only smooth but inconspicuous so that your surface flows unbroken as if crafted from a single piece.

### Feature-laden Design Opportunities!

- MISTRAL's thick surface offers a wealth of possibilities for adding features such as drainer grooves, recessed wet areas around fitted sinks and attractive edge profiles.
- MISTRAL's pure structure presents the perfect medium for design as it can be shaped to follow your imagination. Free from restriction you can create elegant curves to complement shaped door layouts and tight radii can be used to add detail and character for a truly unique living environment.
- MISTRAL worktops utilise all the inherent qualities of solid surface technology to provide the ideal surface for your home. It is non-porous so is easy to clean and hygienic as well as being resistant to staining.
- MISTRAL withstands the general wear and tear of domestic use and has the ability to be replenished so that any marks and scuffs that may appear over time can be abraded away to leave your surfaces looking as though they had just been installed.



# The Colours of MISTR&L

The MISTRAL spectrum provokes an abundance of ideas for colour schemes and combinations as each element of the range contains a fusion of hues and shades. Taking inspiration from some of nature's most beautiful natural stone and quartz we have designed a colour palette to fuel the imagination of architects, designers and homeowners alike.

With our solid surface experience and technologies we have developed these worktop decors with a depth and distinction that will help create the perfect living space. 'Whether your style is elaborate or minimalist, traditional or ultramodern, your ideal is MISTRAL'







### Full Stave Oak



Full Stave Oak

Natural and quintessentially English. Full Stave Oak has a lot of character. The first choice for those looking for durability, strength and classic tradional elegance.

These worktops offer a stave width between 60mm and 90mm which give the effect of a solid homogenous worktop without the striped appearance.





### Finger Jointed Worktops



Prime Oak

The first choice for those looking for durability, strength and classic traditional elegance. These worktops have an extremely consistent finish.



Natural Oak

Natural and quintessentially English. Rustic finish with lots of character. Extremely hard wearing and durable with more natural features than Prime Oak.

For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.

# Finger Jointed Worktops



Natural Steamed Beech

Rustic finish, perfect for that traditional look.



Walnut

A classic hardwood of immense character and warmth. Walnut worktops have fantastic grain patterns and colour variation.






### Parallel Compact

Single Bowl with Chrome Monobloc Tap Product Code: COMPACT/TAP



- Overall Sink Dimensions: 800 x 500mm Bowl depth: 155mm
- Minimum Base Unit: 450mm
- Minimum Tap Pressure: 0.5 Bar
- Includes waste and overflow
- 5 year guarantee\*
- \* Excluding tap o-rings and valves which feature a 1 year guarantee




### Parallel

Single Bowl with
Chrome Monobloc Tap
Product Code: PARALLEL1.0/TAP



- Overall Sink Dimensions: 965 x 500mm Bowl depth: 155mm
- Minimum Base Unit: 500mm
- Minimum Tap Pressure: 0.5 Bar
- Includes waste and overflow
- 5 year guarantee\*
- \* Excluding tap o-rings and valves which feature a 1 year guarantee




### Parallel

Single Bowl and Half Bowl with Chrome Monobloc Tap

Product Code: PARALLEL1.5/TAP



- Overall Sink Dimensions: 965 x 500mmBowl depth: 155mm, Half bowl: 83mm
- Minimum Base Unit: 500mm
- Minimum Tap Pressure: 0.5 Bar
- Includes waste and overflow in main bowl
- 5 year guarantee\*
- \* Excluding tap o-rings and valves which feature a 1 year guarantee







# Parallel: Single Bowl


Satin Polish

Product Code: PARALLEL 1.0



### **Features**

- Overall Dimensions: 965 x 500mm, Bowl Dimensions: 400 x 400 x 155mm
- Minimum Base Unit: 500mm
- Reversible
- Includes: waste and overflow
- 5 year guarantee





# Parallel: Single & Half Bowl


Satin Polish

Product Code: PARALLEL 1.5



### **Features**

- Overall Dimensions: 965 x 500mm, Bowl Dimensions: 400 x 340 x 155mm, Half Bowl Dimesions: 300 x 163 x 83mm
- Minimum Base Unit: 500mm
- Reversible
- Includes: waste and overflow in main bowl
- 5 year guarantee







# Luxury Plus: Single Bowl

Satin Polish

Product Code: LUXPLUS1.0



### **Features**

- Overall Dimensions: 980 x 510mm, Bowl Dimensions: 350 x 410 x 165mm
- Minimum Base Unit: 500mm
- Reversible
- Includes: waste and overflow
- 5 year guarantee

# 350

# Luxury Plus: Single & Half Bowl


Satin Polish

Product Code: LUXPLUS1.5



### **Features**

- Overall Dimensions: 980 x 510mm, Bowl Dimensions: 350 x 410 x 165mm Half Bowl Dimensions: 160 x 305 x 120mm
- Minimum Base Unit: 600mm
- Reversible
- Includes: wastes, pipework and overflow in main bowl
- 5 year guarantee





# Pacific: Single Bowl


Satin Polish


Product Code: PACIFIC1.0



### **Features**

- Overall Dimensions: 1000 x 500mm, Bowl Dimensions: 465 x 415 x 200mm
- Minimum Base Unit: 600mm
- Reversible
- Includes: waste and overflow
- 5 year guarantee





# Pacific: Single & Half Bowl


Satin Polish

Product Code: PACIFIC1.5



### **Features**

- Overall Dimensions: 1000 x 500mm, Bowl Dimensions: 350 x 415 x 175mm Half Bowl Dimensions: 285 x 160 x 120mm
- Minimum Base Unit: 600mm
- Reversible
- Includes: wastes, pipework and overflow in main bowl
- 5 year guarantee









# Composite: Single Bowl

Volcano Black | Product Code: ROK1.0BL Opal White I Product Code: ROK1.0WH Sahara Beige I Product Code: ROK1.0BE







Sahara Beige

#### **Features**

- Overall Dimensions: 980 x 500mm
- Bowl Depth: 195mm
- Minimum Base Unit: 500mm
- Includes: waste and overflow
- 20 year guarantee


# Composite: Single & Half Bowl


Volcano Black | Product Code: ROK1.5BL Opal White I Product Code: ROK1.5WH Sahara Beige I Product Code: ROK1.5BE



Volcano Black

- Overall Dimensions: 980 x 500mm
- Bowl Depth: 195mm Half Bowl Depth: 140mm
- Minimum Base Unit: 600mm
- Includes: wastes, pipework and overflow in main bowl
- 20 year guarantee











# Ceramic


Single Bowl

Product Code: CERAMIC1.0



### **Features**

- Overall Dimensions: 980 x 520mm Bowl depth: 190mm
- Minimum Base Unit: 600mm
- Includes waste and overflow
- 5 year guarantee




# Ceramic

Single Bowl with Half Bowl Product Code: CERAMIC1.5



### **Features**

- Overall Dimensions: 980 x 520mm
  Bowl Depth: 180mm, Half Bowl: 120mm
- Minimum Base Unit: 600mm
- Includes wastes and pipework
- 5 year guarantee




# Ceramic

Belfast

Product Code: BELFAST



- Overall Dimensions: 595 x 455mm Bowl Depth: 225mm
- Minimum Base Unit: Bespoke
- Includes chrome waste and weir overflow
- 5 year guarantee







# Topaz

Half Bowl


Product Code: TOPAZ0.5



### **Features**

- Dimensions: 300 x 162mm
- Bowl Depth: 120mm
- Min Base Unit: 400mm
- Includes waste
- 5 year guarantee

Please note the sink dimensions are OVERALL DIMENSIONS



# Topaz

Medium Bowl


Product Code: TOPAZMED



#### **Features**

- Dimensions: 332 x 418mm
- Bowl Depth: 170mm
- Min Base Unit: 500mm
- Includes waste & overflow
- 5 year guarantee

Please note the sink dimensions are OVERALL DIMENSIONS



# Topaz

Large Bowl


Product Code: TOPAZLAR



### **Features**

- Dimensions: 478 x 330mm
- Bowl Depth: 187mm
- Min Base Unit: 600mm
- Includes waste & overflow
- 5 year guarantee

Please note the sink dimensions are OVERALL DIMENSIONS



# Topaz

Single & Half Bowl

L/Hand Code: TOPAZ1.5L R/Hand Code: TOPAZ1.5R




Righthand version

#### **Features**

- Dimensions: 580 x 450mm
- Bowl Depth: 180mm
- Half Bowl Depth: 120mm
- Min Base Unit: 600mm
- Includes waste & overflow
- 5 year guarantee

Please note the sink dimensions are OVERALL DIMENSIONS









# Onyx

Polished Round Bowl Product Code: ONYXRB



### **Features**

- Bowl Diameter: 430mm
- Bowl depth: 150mm
- Minimum Base Unit: 500mm
- Includes waste and overflow
- Lifetime guarantee

# Onyx

Polished Round Drainer
Product Code: ONYXRB



### **Features**


- Drainer Diameter: 430mm
- Drainer depth: 34mm
- Minimum Base Unit: 500mm
- Includes waste
- Lifetime guarantee


# Onyx


Brushed 4016 Bowl Product Code: ONYX4016



- Overall Dimensions: 192 x 430mm
- Bowl depth: 110mm
- Minimum Base Unit: 400mm
- Includes waste
- Lifetime guarantee












# Onyx

Brushed 4034 Bowl Product Code: ONYX4034



### **Features**

- Overall Dimensions: 370 x 430mm
- Bowl depth: 225mm
- Minimum Base Unit: 450mm
- Includes waste and overflow
- Lifetime guarantee



ASTRACAST®


# Onyx

Brushed 4034 Drainer Product Code: ONYX4034D



### **Features**

- Overall Dimensions: 370 x 430mm
- Bowl depth: 25mm
- Minimum Base Unit: 450mm
- Includes waste and overflow
- Lifetime guarantee




# Onyx

Brushed 4054 Bowl Product Code: ONYX4054



- Overall Dimensions: 570 x 430mm
- Bowl depth: 225mm
- Minimum Base Unit: 800mm
- Includes waste and overflow
- Lifetime guarantee




# Onyx

Brushed 4070XL Bowl Product Code: ONYX4070



### **Features**

- Overall Dimensions: 730 x 430mm
- Bowl depth: 190mm
- Minimum Base Unit: 800mm
- Includes waste and overflow
- Lifetime guarantee




# Onyx

Brushed 4034 1.5 Bowl Product Code: ONYX4053



#### **Features**

- Overall Dimensions: 558 x 430mm
- Main bowl depth: 225mm, Half Bowl: 110mm
- Minimum Base Unit: 600mm
- Includes wastes and overflow
- Lifetime guarantee




# Onyx

Brushed 407 2.0 Bowl Product Code: ONYX40702B



- Overall Dimensions: 735 x 430mm
- Bowl depth: 225mm
- Minimum Base Unit: 800mm
- Includes wastes and overflow
- Lifetime guarantee





## Lincoln

Half Bowl
Prod Code: LINCOLN2540

## Lincoln

Medium Bowl Prod Code: LINCOLN4040

## Lincoln

Large Bowl
Prod Code: LINCOLN5040

## Lincoln

1.5 Bowl RHD
Prod Code: LINCOLN1.5R

## Lincoln


1.5 Bowl LHD
Prod Code: LINCOLN1.5L



#### **Features**

- Dimensions: 310 x 460mm
- Bowl Depth: 160mm
- Min Base Unit: 400mm
- Includes waste & overflow
- Lifetime guarantee

Please note the sink dimensions are OVERALL DIMENSIONS






#### **Features**

- Dimensions: 460 x 460mm
- Bowl Depth: 180mm
- Min Base Unit: 500mm
- Includes waste & overflow
- Lifetime guarantee


Please note the sink dimensions are OVERALL DIMENSIONS



### Features

- Dimensions: 560 x 460mm
- Bowl Depth: 180mm
- Min Base Unit: 600mm
- Includes waste & overflow
- Lifetime guarantee

Please note the sink dimensions are OVERALL DIMENSIONS



## Features

- Dimensions: 544 x 440mm
- Bowl Depth: 180mm
- Half Bowl Depth: 116mm
- Min Base Unit: 600mm
- Includes wastes
- Lifetime guarantee


Please note the sink dimensions are OVERALL DIMENSIONS



### **Features**

- Dimensions: 544 x 440mm
- Bowl Depth: 180mm
- Half Bowl Depth: 116mm
- Min Base Unit: 600mm
- Includes wastes
- Lifetime guarantee

Please note the sink dimensions are OVERALL DIMENSIONS







## Ariel

Single Lever Chrome Tap
Product Code: TAPARIEL



#### **Features**

- Dimensions: 192 x 213 x 139mm
- Min Pressure: 1.0 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

# Orinoco

Single Lever Chrome Tap
Product Code: TAPORINOCO



#### **Features**

- Dimensions: 320 x 200 x 245mm
- Min Pressure: 0.5 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

# Targa

Quarter Turn Chrome Tap Product Code: TAPTARGA



#### **Features**

- Dimensions: 238 x 225 x 205mm
- Min Pressure: 0.1 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

# Professional

Single Lever Chrome Tap Product Code: TAPPRO



- Dimensions: 355 x 231 x 225mm
- Min Pressure: 1.0 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*
- \* Excluding tap o-rings and valves which feature a 1 year guarantee



<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

## Shannon

Quarter Turn Chrome Tap
Product Code: TAPSHAN



#### **Features**

- Dimensions: 357 x 169 x 249mm
- Min Pressure: 0.1 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

# Shannon (Pullout)

Quarter Turn Chrome Tap
Product Code: TAPSHANP



#### **Features**

- Dimensions: 357 x 173 x 231mm
- Min Pressure: 0.5 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

# Kuban

Single Lever Chrome Tap
Product Code: TAPKUBAN



### **Features**

- Dimensions: 205 x 156 x 156mm
- Min Pressure: 0.5 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

## Colonial

Quarter Turn Chrome Tap
Product Code: TAPCOLON



- Dimensions: 382 x 193 x 252mm
- Min Pressure: 0.1 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*



<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

# Leda

Single Lever Chrome Tap Product Code: TAPLEDA



### **Features**

- Dimensions: 492 x 213 x 320mm
- Min Pressure: 0.5 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*

# V Form

Lever Turn Chrome Tap Product Code: TAPVFORM



- Dimensions: 377 x 210 x 279mm
- Min Pressure: 0.1 bar
- Tap hole diameter: 35mm
- 5 year guarantee\*
- \* Excluding tap o-rings and valves which feature a 1 year guarantee



<sup>\*</sup> Excluding tap o-rings and valves which feature a 1 year guarantee

# Door handles

A complete range of handles in a variety of designs to complement both contemporary and classical kitchens. Choose from a selection of finishes including: Nickel Plated, Chrome, Stainless Steel, Antique, Pewter and Decorative.

Various handles available in different sizes.











# Wicker Baskets

These kitchen wicker baskets offer a practical and attractive storage solution for fruit and vegetables.

The natural materials and simple design will complement any kitchen, whilst the wicker allows air to circulate around the fruit and vegetables, keeping them fresher for longer. The baskets are fully removable making them simple to clean and fill, and can be installed behind a normal sized door.

Each wicker basket is supplied complete with a wooden frame and runners. The frame gives added strength to the wickerwork and the runners allow the basket to slide out from the unit for easy access.


Fitting of the unit is very simple, with pre-drilled holes in the runners to fix to the cabinet sides making this range ideal to retro-fit into an existing kitchen.

### Sizes Available

- 500mm
- 600mm

# Stainless Steel Plinths

Stainless steel plinths are finished in a contemporary brushed steel effect with a clear plastic edge strip to give a neat finish. Use with gloss doors for the ultimate modern contrast.







# Kitchen Extractors



### EX600C

- 600mm Curved glass chimney
- Stainless steel and glass
- Electronic push controls complete with halogen bulbs and aluminium filters
- 3 Speed extraction to max 600 cubic metres per hour

A range of cooker hoods which vary in terms of aesthetics, extraction and style. Available in both stainless steel or glass finishes. A range of ducting and vents are available - please see our price list for details.



### EX900C

- 900mm Curved glass chimney
- Stainless steel and glass
- Electronic push controls complete with halogen bulbs and aluminium filters
- 3 Speed extraction to max 600 cubic metres per hour

### EX600

- 600mm Stainless steel chimney
- Stainless steel
- Electronic push controls complete with halogen bulbs and aluminium filters
- 3 Speed extraction to max 600 cubic metres per hour

### EX900

- 900mm Stainless steel chimney
- Stainless steel
- Electronic push controls complete with halogen bulbs and aluminium filters
- 3 Speed extraction to max 600 cubic metres per hour



# Breakfast Bar Support Leg

Breakfast bar legs give great support in a kitchen environment. For supporting worktops as an alternative to a table. Add a modern look to your home.

### Features

- Chrome finish
- Available in sizes710mm and 870mm
- 60mm diameter

# Aluminium Plinth Vents

Used to vent excess heat through your plinth.



Image for illustrative purposes only

# Pop Up Sockets



### Code: EPSI

- EVOline® port with silver lacquered plastic cover
- Silver anodised aluminium profile
- 3 x UK sockets
- Installed in a 102mm dia hole



### Code: MAKPORT

- 3 UK sockets
- Silver cover & collar
- On and off switch
- Power supply cable
- 13A, 240V
- Installed in a 100mm dia hole
- Best value option





The Sige product range has gained an enviable reputation across the world for top quality performance and reliability. If you want quality wirework that is problem-free long after installation then Sige should be your automatic product choice. Sige offer exceptional quality and excellent value for money. The Sige range is continually being improved and is now seen as one of the top quality wirework brands in the world.

The Sige products are tested to the exacting 'CATAS' standards with particular focus on technical, food-safe and environmental aspects. Rest assured that production of the Sige product has a minimal effect on the environment.

Each product is subjected to an extreme test of 80,000 or 100,000 cycles. To put this into perspective, 100,000 cycles is equivalent to at least 15-20 years normal use in an average kitchen.

The following products are selected from a huge range as being the best sellers in the Sige range but many more products can be available on request on realistic lead times. Choose from our fantastic two stylish kitchen storage designs: Classic or Plus.












# Magic Corner

### Magic Corner Unit.

Features: Self-opening and soft-closing. **Options:** MFC baskets, chrome baskets.







Code MCUSCL	Description Magic corner, 860x450mm, silver/chrome baskets, left hand	Min Carcase size 860x470x580mm	Loading 15kg for front, 20kg for corner pullout
MCUSCR	Magic corner, 860x450mm, silver/chrome baskets, right hand	860x470x580mm	15kg for front, 20kg for corner pullout
MCUSML	Magic corner, 860x450mm, silver/MFC bottom baskets, left hand	860x470x580mm	15kg for front, 20kg for corner pullout
MCUSMR	Magic corner, 860x450mm, silver/MFC bottom baskets, right hand	860x470x580mm	15kg for front, 20kg for corner pullout










# Magic Corner Plus



### Infinity Plus Magic Corner Unit.

Features: Pull-out mechanism for corner cabinet, with soft opening-closing and 4 solid

base baskets. Left or right hand. Melamine base with flat bar design.



Code	Description	Min Carcase size	Loading
MCUSCLPL	Magic corner, 860x450mm, silver/MFC bottom baskets, left hand	860x470x580mm	15kg for front, 20kg for corner pullout
MCUSCRPL	Magic corner, 860x450mm, silver/MFC bottom baskets, right hand	860x470x580mm	15kg for front, 20kg for corner pullout







# Nuvola Pullout

### **Nuvola Pullout.**

**Features:** Soft-closing option available as extra.

Options: MFC baskets. 450mm, 500mm & 600mm versions available.









Code	Description	Min Carcase size	Loading
NUV450L	Nuvola, 450mm door, left hand	864x495x600mm	20kg per shelf, 40kg per unit
NUV450R	Nuvola, 450mm door, right hand	864x495x600mm	20kg per shelf, 40kg per unit
NUV500L	Nuvola, 500mm door, left hand	964x495x600mm	20kg per shelf, 40kg per unit
NUV500R	Nuvola, 500mm door, right hand	964x495x600mm	20kg per shelf, 40kg per unit
NUV600L	Nuvola, 600mm door, left hand	964x495x600mm	20kg per shelf, 40kg per unit
NUV600R	Nuvola, 600mm door, right hand	964x495x600mm	20kg per shelf, 40kg per unit
NUVSOFT	Soft close for Nuvola		





# Nuvola Pullout Plus




### Infinity Plus Nuvola Pullout.

Features:

Pull-out shelves for corner cabinet, two melamine bottom shelves with chromed wire rail. Right and left version.

Not soft closing.

Please note requires shelves to fix to.



Right hand version shown



Code	Description	Min Carcase size	Loading
NUV450LPL	Nuvola, 450mm door, left hand	864x495x600mm	20kg per shelf, 40kg per unit
NUV450RPL	Nuvola, 450mm door, right hand	864x495x600mm	20kg per shelf, 40kg per unit
NUV500LPL	Nuvola, 500mm door, left hand	964x495x600mm	20kg per shelf, 40kg per unit
NUV500RPL	Nuvola, 500mm door, right hand	964x495x600mm	20kg per shelf, 40kg per unit
NUV600LPL	Nuvola, 600mm door, left hand	964x495x600mm	20kg per shelf, 40kg per unit
NUV600RPL	Nuvola, 600mm door, right hand	964x495x600mm	20kg per shelf, 40kg per unit





# Larder Pullout

### Larder Pullout.

**Features:** Self-opening and soft-closing. Full extension.

Height adjustable: between 1880mm and 2175mm.

5 baskets (additional baskets available).

Options: Chrome baskets, MFC baskets.



Code	Description	Min Carcase size	Loading
LF300SC	Larder pullout, 300mm, silver / 5 chrome baskets	250x455x1880-2175mm	90kg
LF400SC	Larder pullout, 400mm, silver / 5 chrome baskets	350x455x1880-2175mm	90kg
LF450SC	Larder pullout, 450mm, silver / 5 chrome baskets	400x455x1880-2175mm	90kg
LF500SC	Larder pullout, 500mm, silver / 5 chrome baskets	450x455x1880-2175mm	90kg
LF600SC	Larder pullout, 600mm, silver / 5 chrome baskets	550x455x1880-2175mm	90kg
LF300/500SM	Larder Pullout, 300mm silver / 5 MFC bottom baskets	250x500x1880-2175mm	120kg
LF400/500SM	Larder Pullout, 400mm silver / 5 MFC bottom baskets	350x500x1880-2175mm	120kg
LF450/500SM	Larder Pullout, 450mm silver / 5 MFC bottom baskets	400x500x1880-2175mm	120kg
LF500/500SM	Larder Pullout, 500mm silver / 5 MFC bottom baskets	450x500x1880-2175mm	120kg
LF600/500SM	Larder Pullout, 600mm silver / 5 MFC bottom baskets	550x500x1880-2175mm	120kg







# Larder Pullout Plus



### Infinity Plus Larder Pullout.

**Features:** Soft-closing. Full extension.

Height adjustable: between 1880mm and 2175mm.

5 baskets (additional baskets available).

Options: MFC baskets.

Code	Description	Min Carcase size	Loading
LF300SMPL	Larder pullout, 300mm, silver / 5 MFC bottom baskets	300x455x1880-2175mm	120kg
LF400SMPL	Larder pullout, 400mm, silver / 5 MFC bottom baskets	350x455x1880-2175mm	120kg
LF450SMPL	Larder pullout, 450mm, silver / 5 MFC bottom baskets	400x455x1880-2175mm	120kg
LF500SMPL	Larder pullout, 500mm, silver / 5 MFC bottom baskets	450x455x1880-2175mm	120kg
LF600SMPL	Larder pullout, 600mm, silver / 5 MFC bottom baskets	550x455x1880-2175mm	120kg





# Duetto Pullout

### **Duetto Pullout.**

**Features:** Self opening and soft-closing. 6 baskets.

Reversible and can be doubled up to make a 'Chef's Pantry'.

Universal – can be used right or left handed.

Options: Chrome baskets.


Loading Capacity: 20kg front baskets, 50kg rear baskets.

Code	Description	Min Carcase size	Loading
DP450C	Duetto pullout, 450mm, chrome baskets	410x470x1800mm	20kg for small shelves, 50kg for large shelves
DP500C	Duetto pullout, 500mm, chrome baskets	460x470x1800mm	20kg for small shelves, 50kg for large shelves
DP600C	Duetto pullout, 600mm, chrome baskets	560x470x1800mm	20kg for small shelves, 50kg for large shelves

# Duetto Pullout Plus

Features: Pull-out tandem dispenser, short (universal), with

soft opening-closing and solid base baskets.



Code	Description	Min Carcase size	Loading
DP450PL/1215	Duetto pullout, 450mm silver/MFC bottom baskets	410x470x1215mm	20kg for small shelves, 50kg for large shelves
DP500PL/1215	Duetto pullout, 500mm silver/MFC bottom baskets	460x470x1215mm	20kg for small shelves, 50kg for large shelves
DP600PL/1215	Duetto pullout, 600mm silver/MFC bottom baskets	560x470x1215mm	20kg for small shelves, 50kg for large shelves






# Duetto Pullout Plus



**Features:** Pull-out tandem dispenser, tall (universal), with soft opening-closing and 12 solid base baskets.





Code	Description	Min Carcase size	Loading
DP450G PL	Duetto pullout, 450mm silver/ MFC bottom baskets	410x470x1800mm	20kg for small shelves, 50kg for large shelves
DP500G PL	Duetto pullout, 500mm silver/ MFC bottom baskets	460x470x1800mm	20kg for small shelves, 50kg for large shelves
DP600G PL	Duetto pullout, 600mm silver/ MFC bottom baskets	560x470x1800mm	20kg for small shelves, 50kg for large shelves





# Curvato Pullout

### **Curvato Curved Pullout.**

**Features:** A unique storage system for curved units.

Soft-closing. Full extension.

Options: Chrome baskets.



Right hand version shown



Right hand version shown



Code	Description	Min Carcase size	Loading
CURVL	Curvato door pullout, silver/ chrome baskets, left hand	272x510x520mm	30kg
CURVR	Curvato door pullout, silver/ chrome baskets, right hand	272x510x520mm	30kg



# Base Pullout

#### Base Unit Pullout.

**Features:** Soft closing. Full extension.

Code	Description	Min Carcase size	Loading
JB300	Base pullout, 300mm, Jolly basket	264x455x520mm	30kg
JB400	Base pullout, 400mm, Jolly basket	364x455x520mm	30kg








Features: Solid base pull-out basket with full

extension slides and soft closing.



Code	Description	Min Carcase size	Loading
BP300PL	Base pullout,300mm base pullout, silver/MFC bottom baskets	264x455x520mm	30kg
BP400PL	Base pullout,400mm base pullout, silver/MFC bottom baskets	364x455x520mm	30kg
BP450PL	Base pullout,450mm base pullout, silver/MFC bottom baskets	414x455x520mm	30kg
BP500PL	Base pullout,500mm base pullout, silver/MFC bottom baskets	464x455x520mm	30kg
BP600PL	Base pullout,600mm base pullout, silver/MFC bottom baskets	564x455x520mm	30kg





# Angolo Pullout

#### Angolo 45° Angled Pullout.

**Features:** Self-opening and soft-closing.

Full extension.

**Options:** Chrome baskets.



Code	Description	Min Carcase size	Loading
AP300L	Angolo pullout, 45, 300mm, chrome baskets, Left hand	210x520x655mm	40kg
AP300R	Angolo pullout, 45, 300mm, chrome baskets, right hand	210x520x655mm	40kg



# Wire Carousel

#### Wire Carousel.

Features: Closes to reset position.



Code	Description	Min Carcase size	Loading
WC180	1/2 Wire carousel, 760mm	760x390x450mm	15 kg per shelf
WC270	3/4 Wire carousel, 700mm	800x800x700-750mm	20 kg per shelf






# 3/4 Carousel



#### Wire Carousel Infinity Plus.

Rotating system with 2 solid base baskets, Features:

900x900mm corner base unit.





Description

Code Min Carcase size Loading WC270PL 20kg 3/4 carousel 800x800x700mm


# ½ Carousel



#### Wire Carousel Infinity Plus.

Half-Moon solid base shelves for corner cabinet. Features:

2 hand opening shelves.



Code WC180PL

Description ½ carousel

Min Carcase size Loading 760x390x450mm

15kg




# Larder Unit Pullout Plus



Features: Soft Closing. Full extension.

Options: MFC solid base baskets.



Code	Description	Min Carcase size	Loading
LD400CPL	400mm pull out basket, Silver/MFC Bottom baskets	400x455x1880-2175mm	30kg
LD450CPL	450mm pull out basket, Silver/MFC Bottom baskets	450x455x1880-2175mm	30kg
LD500CPL	500mm pull out basket, Silver/MFC Bottom baskets	500x455x1880-2175mm	30kg
LD600CPL	600mm pull out basket, Silver/MFC Bottom baskets	600x455x1880-2175mm	30kg





# Pan Drawer and Base Unit Pullouts

#### Pan Drawer and Base Unit Pullout.

Features: Soft closing. Full extension.

**Options:** Chrome baskets.





Pan drawer pullout

Base unit pullout

Pan drawer pullout

Code	Description	Min Carcase size	Loading
PD300C	Pan drawer with full extension, 300mm	264x455mm	30kg
PD400C	Pan drawer with full extension, 400mm	364x455mm	30kg
PD500C	Pan drawer with full extension, 500mm	464x455mm	30kg
PD600C	Pan drawer with full extension, 600mm	564x455mm	30kg
BU300C	Base unit pullout with full extension, soft close, 300mm, chrome	264x455mm	30kg
BU400C	Base unit pullout with full extension, soft close, 400mm, chrome	364x455mm	30kg
BU500C	Base unit pullout with full extension, soft close, 500mm, chrome	464x455mm	30kg
BU600C	Base unit pullout with full extension, soft close, 600mm, chrome	564x455mm	30kg





# 150mm Wall Pullout Plus

150mm Wall Pullout

**Features:** Soft closing, full extension.

CodeDescriptionMin Carcase sizeLoadingWP150PL150mm, wall pullout, chrome110x280x520mm12kg

# 200mm Base Unit Plus


Infinity Plus 200mm Base Unit Pullout

**Features:** Soft closing, full extension.



CodeDescriptionMin Carcase sizeLoadingBP200PL200mm, base pullout160x450x520mm30kg









# 150mm Base Unit

#### 150mm Base Unit Pullout

Soft-closing. Full extension. Features:

Chrome shelves, partitioned version, towel rail version. **Options:** 

Code	Description	Min Carcase size	Loading
BP150C	150mm, pullout, chrome	110x450x520mm	10kg
BP150DC	150mm, pullout with partitions, chrome	110x450x520mm	20kg
BP150TR	150mm, pullout with	110x450x520mm	20kg








# 150mm Base Unit Plus



Soft-closing. Full extension. Features:













# Waste Bins

#### Quadrifoglio Waste Bin.

**Features:** Soft closing. Full extension.

Code	Description	Min Carcase size	Loading
QUSBIN	Quadrifoglio, 600mm, under-sink bin	564x455x405mm	36 litres
QCB300	Quadrifoglio, 300mm, "cargo" bin	264x505x560mm	35 litres
QCB400	Quadrifoglio, 400mm, "cargo" bin	364x505x560mm	35 litres
QCB500	Quadrifoglio, 500mm, "cargo" bin	464x505x560mm	70 litres
QCB600	Quadrifoglio, 600mm, "cargo" bin	564x505x560mm	85 litres









# Detergent Pullout

#### **Detergent Pullout**

Base pullout for undersink unit on soft close runner. Features:

Min unit width 450mm.



Code	Description	Willi Carcase Size	Loading
DP300	Detergent pullout,300mm	230x450x440mm	30kg
DP450	Detergent pullout,450mm	380x450x440mm	30kg

# Lockable Detergent Pullout

#### **Lockable Detergent Pullout**

Child proof lockable slide-out detergent basket. Features:

Ideal for undersink storage.



Code Description Min Carcase size Loading LDP300 Lockable detergent pullout,300mm 230x480x500mm 25kg





# Lighting





# A visionary company specialising in contemporary lighting

DOMUS Line is an Italian company that specialise in the design and development of innovative lighting products. They offer a portfolio which includes stylish and inspirational ideas. The synergy in the philosophies of both MAK and DOMUS Line allows the constant refinement of innovative products delivered at affordable price levels.

#### Performance

An LED ("Light Emitting Diode") has low energy consumption and high potential yield. Produced and built without interior filaments (which are more fragile and subject to rupture), or mobile parts, LEDs ensure a longer life and more dependability compared to other lamps.

The main advantages of LED technology:

- Use of LEDs allow very small light fittings
- Wide array of colour temperatures
- Long life
- Sturdiness
- Zero maintenance costs
- More lighting efficiency
- Clean light, because LEDs have no IR or UV components
- Safety, because LEDs are very low voltage
- Very small amount of heat generated (no risk of burns)

#### **Quality and Control**

The development process of LED products is complex and delicate. It takes attentive quality controls to produce a fitting that complies with requirements. Therefore DOMUS Line has controls at each step of the production process in order to produce fittings with top quality and top performance.

- Selects the best LEDs on the market
- Designs optics in thermoplastic material
- Utilizes advanced technology for printed circuit boards
- DOMUS Line verifies the correct dissipation guaranteeing the respect of the imposed limits not only from the safety directives but also to guarantee the operative life of the LED
- Selects drivers to control the technical specifications of LEDs producers
- Offers highly functional accessories that create eclectic light direction, all the while respecting safety and visual comfort



# Skate

- The new 'must have' of under cabinet lighting
- Innovative Touch LED dimming switch integrated
- Patented design by Bavuso Giuseppe
- 30% more light output compared to 20W of halogen

#### SET SKATE TLDM 3X

with master Touch LED switch and converter



Code	Model	Watt & Volt	Light Colour	Finish
SKTD3XAL/NW	SET 3X	4.8W @ 240Vac	natural white	aluminium
SKTD3X66\NIM	SET 3Y	1 8W @ 240Vac	natural white	staal



#### SKATE Slave

without switch



Code	Model	Watt & Volt	Light Colour	Finish
SKSLAL/NW	slave	1.6W @ 12Vdc	natural white	aluminium
SKSLSS/NW	slave	1.6W @ 12Vdc	natural white	steel

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to 3 SKATE
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to 9 SKATE
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to 12 SKATE






- GIZA triangle LED light in High Quality Stainless Steel
- GIZA set with switch integrated

#### GIZA V12

without switch



Watt & Volt **Light Colour** Code Model **Finish** GIZ12SS/NW 1.6W @ 12Vdc 12Vdc natural white steel



112

#### Converters

GIZ123XSS/NW

Code

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to 3 GIZA
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to 9 GIZA
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to 12 GIZA

# Metris

- 30% more light output compared to 20W of halogen
- Perfect as a substitute for halogen spotlights
- OB spacer for corner installations No holes required
- SP spacer surface mounted No holes required


#### METRIS V12

for recessed installation on wood shelf









Ø57/60

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to 3 METRIS
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to 9 METRIS
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to 12 METRIS







# Spacer METRIS SP V12 for surface installation

Code	Model	Finish
MTSPCH	SP spacer	chrome
MTSPAL	SP spacer	aluminium
MTSPSS	SP spacer	steel

42

# Spacer METRIS OB V12 for surface installation

Ø 70,5

Code	Model	Finish
MTASPCH	OB spacer	chrome
MTASPAL	OB spacer	aluminium
MTASPSS	OB spacer	steel

## Converters

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to 3 METRIS
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to 9 METRIS
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to 12 METRIS

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to 3 METRIS
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to 9 METRIS
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to 12 METRIS



## Leaf

- Elegant profile in extruded aluminium with asymmetrical light projection
- LEAF TLD Touch LED Dimming switch suitable for under wall cabinet
- LEAF DR sensor switch with plastic spacers to fit in drawers with side panels from 16mm to 19mm

#### LEAF TLD

with Touch LED switch for under wall cabinet installation





#### LEAF DR

with IR proximity sensor for pull-out drawers and basket drawers and basket drawers



, , ,				
Code	Length	Watt & Volt	Light Colour	Finish
LFDR450/NW	450mm	1.68W @ 12Vdc	natural white	aluminium
LFDR600/NW	600mm	2.40W @ 12Vdc	natural white	aluminium
LFDR900/NW	900mm	3.84W @ 12Vdc	natural white	aluminium
LFDR1200/NW	1200mm	5.28W @ 12Vdc	natural white	aluminium

#### Converters

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to max. 6W for LEAF
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to max. 15W for LEAF
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to max. 30W for LEAF



Leaf DR

# Sunny

■ SUNNY 3D IFR sensor switch natural white for inside cabinet

#### SUNNY 3D IFR


with IFR presence sensor for inside cabinet installation







Code	Model	Watt & Volt	Light Col
SN3D150/NW	IFR	3W @ 12Vdc	natural w



ural white	aluminium
ht Colour	Finish

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to max. 6W for SUNNY
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to max. 15W for SUNNY
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to max. 30W for SUNNY





- Surface profile in extruded aluminium, easy to install
- TWIG TLD Touch LED dimming switch suitable for under wall cabinet

#### TWIG TLD

with Touch LED switch for under wall cabinet installation



Code	Length	Watt & Volt	Light Colour	Finish
TWTLD410/NW	410mm	1.68W @ 12Vdc	natural white	aluminium
TWTLD560/NW	560mm	2.40W @ 12Vdc	natural white	aluminium
TWTLD860/NW	860mm	3.84W @ 12Vdc	natural white	aluminium
TWTI D1160/NW	1160mm	5 28W @ 12Vdc	natural white	aluminium

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to max. 6W for TWIG
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to max. 15W for TWIG
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to max. 30W for TWIG

# Diva

- Minimal design profile in extruded aluminium
- DIVA TLD Touch LED Dimming switch suitable for under wall cabinet

### DIVA TLD

with Touch LED switch for under wall cabinet installation







Code	Length	Watt & Volt	Light Colour	Finish
DVTLD376NW	376mm	1.44W @ 12Vdc	natural white	aluminium
DVTLD526NW	526mm	2.16W @ 12Vdc	natural white	aluminium
DVTLD826NW	826mm	3.60W @ 12Vdc	natural white	aluminium
DVTLD1126NW	1126mm	5.04W @ 12Vdc	natural white	aluminium

Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to max. 6W for DIVA
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to max. 15W for DIVA
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to max. 30W for DIVA



- High Performance strip LED linkable in continuous row
- Connection between strips without dark areas the distance between LEDs is always the same
- Comfortable natural white 4250-4600 Kelvin no blue shade
- Several lengths and can be cut every 50mm






CE 🕪 V 🗥		4-11-	-	<u> </u>
Code	Length	Watt & Volt	Light Colour	LEDs
FLEXY250CW	250mm	1.20W @ 12Vdc	natural white	15
FLEXY500CW	500mm	2.40W @ 12Vdc	natural white	30
FLEXY1000CW	1000mm	4.80W @ 12Vdc	natural white	60
FLEXY2000CW	2000mm	9.60W @ 12Vdc	natural white	120

.

#### FlexyLED CH




Code	Length	Light Colour	LEDs
FLEXYCH5MCW	5m	natural white	60 LEDs per linear metre
FLEXYCH20MCW	20m	natural white	60 LEDs per linear metre



			·
Ref.	Code	Length	Model
Α	FLEXYPSC2000	2000mm	Power supply cable
В	FLEXYEXT1000	1000mm	Extension
В	FLEXYEXT2000	2000mm	Extension
С	FLEXYIC250	250mm	Interconnecting
С	FLEXYIC500	500mm	Interconnecting
	FLEXYIC1000	1000mm	Interconnectina

#### Cable FlexyLED CH

Code	Length	Model
FLEXYIC	_	Interconnector cable
FLEXYCHPSC2000	2000mm	Power supply cable
FLEXYCHIC5	50mm	Interconnector cable
FLEXYCHIC10	100mm	Interconnector cable



Code	Model	Input	Output	Load
SL6/12	SL6/12	220 ÷ 240Vac	12Vdc	up to max. 6W for FlexyLED
FLAT15/12	FLAT15/12	220 ÷ 240Vac	12Vdc	up to max. 15W for FlexyLED
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to max. 30W for FlexyLED
SL60/12	SL60/12	220 ÷ 240Vac	12Vdc	up to max. 60W for FlexyLED





- LED RGB Technology with a colour changing electronic system
- Remote Controlled Unit which allows the desired colour and sequence to be selected


- Modules available in four standard lengths
- Easy to install and suitable for an infinity of applications

Input

12 ÷ 24Vdc

Output

12 ÷ 24Vdc



**FlexyLED** 

**FLEXYRGBREM** 

Code

**RGB** Remote

# Cables Flexyl FD RGR

Cablod I loxy LLD I lab			7
Ref.	Code	Length	Model
Α	FLEXYPSC2000	2000mm	Power supply cable
В	FLEXYIC1000	1000mm	Interconnecting
В	FLEXYIC500	500mm	Interconnecting

#### Converters

Code	Model	Input	Output	Load
SL30/12	SL30/12	220 ÷ 240Vac	12Vdc	up to 30W for FLEXYLED RGB
SL60/12	SL60/12	220 ÷ 240Vac	12Vdc	up to 60W for FLEXYLED RGB



Load

144 ÷ 288W

# FlexyLED RGB

#### Universal Installation



There are four modules equipped with micro connectors for the installation in a continuous line that can go up to 5000mm in length.




The 2000mm power cord is sold separately complete with a MultiPlug connector.



Thanks to the micro connectors, the continuous line connection does not have shadow areas because the distance between the LEDs is always the same.



The resin protects each LED strip against moderate mechanical shock and against water splashes (IP44 protection). The high degree of transparency and the circuit's high reflection varnished base offers professional light performance from the unit.






The highly resistant double sided adhesive provides fast installation without the use of any tools.

The 90° light angle lets you create complex systems but at the same time it lets you maintain the symmetry of the light flow even at the corners.

150mm




Inter-connection cables are also available for the remote connection of LED strips guaranteeing the electrical continuity.












Button	<b>Button Description</b>	Comments
<b>(b)</b>	ON/OFF	switching on – switching off
<b>(</b> -11)	play/stop	play or stop LED changing
<b>(5)</b>	brightness increase	the brightness series will add once
<b>②</b>	play/stop	the brightness series will reduce once
Red	static red	
Green	static green	
Blue	static blue	
White	static white	you can select the colour
Orange	static orange	brightness is adjustable, speed is adjustable
Yellow	static yellow	
Oyan	static cyan	
Purple	static purple	
Auto	random	the colour changes continuously
Jump 3	3 colour step change	speed and brightness are adjustable
Jump 7	7 colour step change	speed and brightness are adjustable
Fade 3	3 colour fade change	speed is adjustable brightness is unadjustable
Fade 7	7 colour fade change	speed is adjustable brightness is unadjustable
Speed +	speed increase	the speed will add once
Speed -	speed decrease	the speed will reduce once
Flash	seven colours flash	speed and brightness are adjustable




# FlexyLED CR Accessories

FlexyLED CR can be surface mounted or recessed, there are also four different profiles into which it's possible to integrate the LED strip.



Code	Model	Length	Finish
DVAL2000	A – Aluminium profile	2000mm	Aluminium
DVSD2000	B - Plastic diffuser screen	2000mm	Opal White
DVECGY	C – 2 plastic end caps		Grey



 Code
 Model
 Length
 Finish

 TWAL2000
 A - Aluminium profile
 2000mm
 Aluminium

 DVSD2000
 B - Plastic diffuser screen
 2000mm
 Opal White

 TWECGY
 C - 2 plastic end caps
 Grey

DIVA recessed profile in extruded aluminiumTWIG surface profile in extruded aluminium

# Posh

■ Minimal design suitable for any space requiring an accurate accent light

Ø 40

Ø 50

- Power LED cool white 5000-5700 Kelvin
- POSH HP trendy round spotlight giving high light output



for recessed installation on wood shelf



Code **PSALCW** PSSSCW





Model	Watt & Volt	Light Colour	Finish
single	1.20W @ 350mA	cool white	aluminium
oinglo	1 20W @ 250mA	and white	otool

Code	Model	Input	Output	Load
SL6/350	SL6/350	220 ÷ 240Vac	350mA	up to 6 POSH
SL12/350	SL12/350	220 ÷ 240Vac	350mA	up to 10 POSH

# Pixel

- Elegant solution for any space requiring an accurate accent light
- Made in brass for a perfect finish
- OB spacer for surface installation No hole required

#### PIXEL V13

for recessed installation on wood shelf



<u> </u>	<u> </u>
2	Ø 35
Light Colour	Finish
and the state of the state of	

Ø 30

Code	Model	Watt & Volt	Light Colour	Finish
PXCHCW	single	1.20W @ 350mA	natural white	chrome
PXSSCW	single	1.20W @ 350mA	natural white	steel
PXALCW	single	1 20W @ 350mA	natural white	aluminium

#### Spacer PIXEL OB

for surface installation



Code	Model	Finish
PXASPCH	OB spacer	chrome
PXASPNP	OB spacer	steel
PXASPAL	OB spacer	aluminium

Code	Model	Input	Output	Load
SL6/350	SL6/350	220 ÷ 240Vac	350mA	up to 6 PIXEL
SL12/350	SL12/350	220 ÷ 240Vac	350mA	up to 10 PIXEL





- Elegant solution for any space requiring an accurate accent light
- Made in brass for a perfect finish
- NET square design for modern furniture

### NET V13

for recessed installation on wood shelf



Code NTALCW Model single

1.20W @ 350mA

Watt & Volt

**Light Colour** natural white


Finish aluminium


**Ø** 35


Ø 30

Code	Model	Input	Output	Load
SL6/350	SL6/350	220 ÷ 240Vac	350mA	up to 6 NET
SL12/350	SL12/350	220 ÷ 240Vac	350mA	up to 10 NET










The switching on/off of the devices connected to the TLD is carried out with the simple rapid touch of the LED on the TLD. It is possible to adjust the intensity of the light (dimmer function) by maintaining the touch on the LED. A brief flash of the TLD indicates that maximum luminosity has been reached. The luminosity level will be memorized until the next adjustment (level memory). The TLD integrates the "night-light" function which activates only when the devices are switched off. With a high or sufficient level of light environment the TLD LED sends a soft light. With low or no light, the TLD is of a more intense light. During operation of the devices the emitted light by the TLD LED will be proportional to their adjustment.

The "night-light" function can be activated or deactivated by a 15 second touch after which, the deactivation of the function will be notified by 2 slow flashes, or its activation by 3 fast flashes. The TLD is fitted with a safety program that turns off the connected devices after 18 hours of continuous operation. Moreover TLD is endowed with function auto-on that allows the automatic turning on of the appliance as soon as it receives tension from the net through the feeder. The function has been designed for the automatic turning on of the appliance in particular in the show rooms at the daily activation of the electric switches without the necessity to act on every appliance.






The switching on/off of the devices connected to the IFR is operated through the detection of temperature variations combined to the motion of people, animals and objects with a temperature of around 36°C within its detection range. In this condition the sensor IFR is activated, switching the connected devices on. The system remains active for the whole set time (30 seconds) after which, if no other motion is detected, it switches off automatically. The sensor must not be installed near electromagnetic sources, heat sources or exposed to direct sunlight.

The switching on/off of the devices connected to the IFR is operated through the detection of temperature variations combined to the motion of people, animals and objects with a temperature of around 36°C within its detection range. In this condition the sensor IFR is activated, switching the connected devices on. The system remains active for the whole set time (adjustable between 10 seconds and 3 minutes) after which, if no other motion is detected, it switches off automatically. The sensor must not be installed near electromagnetic sources, heat sources or exposed to direct sunlight.





The activation of the device connected to SIMPLY is done by simply moving your hand less than 50mm from the sensor. The same operation, repeated once again, will switch the device off.

The switching on of the device connected to the LIMIT occurs when the sensor doesn't detect any object (e.g. one of the flaps) in front of itself (not higher than 50mm). The switching off is activated after the sensor detects a new object. For a perfect functioning of the LIMIT it's recommended to avoid the use of white, bright or reflecting surfaces.





#### Features

- 38 different colour options available.
- Colour matched 2mm pvc lipping on all visible edges.
- All Carcases are supplied with solid backs.
   18mm on base units and 8mm on wall units.
- Made to order on a 7–10 working day delivery time (excluding holidays).
- Cam and dowel construction for easy assembly.
- All units supplied complete with Hettich Sensys 110' Integrated Self-Closing Hinges as standard \*
- Base units 560mm deep with 47mm service gap.
- 300mm and 330mm wall units available with 18mm service gap.
- Wall units supplied with Universal Adjustable Concealed Cabinet hangers.
- Drawer units supplied with Hettich Silver Innotech Soft-Closing Drawers complete with matching steel back.
- Base units supplied with 150mm adjustable legs.
- Special sizes and bespoke service available to order.
- Excellent Quality at highly competitive prices.



<sup>\*</sup> note that a 165° hinge with soft close option can be specified but these are chargeable as an extra item.

# Carcase colour matrix

## Egger options – woodgrain



## Egger options – uni-colour



For technical reasons connected with colour reproduction, colours shown may not be an exact representation of the actual product. Please ask for a sample before ordering.



The Hettich brand is synonymous throughout the world with quality, innovation and reliability.



## Sensys

Now there's a hinge where form and function are a perfect match: Sensys. Doors close silently, moved gently by an invisible force. With this exclusive self-closing function, plus integrated damping, Sensys delivers a luxury closing experience. Innovation at its best: award-winning design plus perfect functionality means Hettich can offer the perfect hinge with a full range of applications and plate options.

Currently the only hinge technology available where all hinge options are available as soft-close

- Integrated damping element
- Silence, design and emotion
- Door closes automatically from 35°

#### Easy to fit

Sensys is easy to fit and easy to adjust

#### Clean and elegant looking

Sensys has an elegant and contemporary look with simple and harmonious lines

Meets all customer expectations for outstanding design and quality

The Sensys hinge family includes products for all popular door mounting options. See price list for options.











**Hettich** 

## InnoTech

Completing kitchen ranges at the right level of specification and quality. Giving the market genuine choice, whilst keeping production and inventory lean. This is the InnoTech drawer system. Numerous options, but just one drawer side panel. Flexibility meets efficiency.

#### InnoTech Platform concept

Economic mark of distinction

# 470mm Standard depth drawer system to maximise UK cabinet depths

 Also available in 260mm depth for dresser units

#### Multi choice of widths available

Steel rear panel in standard widths

## Multi choice of materials gives extra differentiation to customer

- Steel sides
- DesignSide, steel TopSide and railing available
- Drawer sides available in Silver as standard
- 4 options for pan drawers

#### Multi choice of soft close runners available

- Integrated soft close
- 30 kg, 50 kg and 70 kg available from stock
- Stainless Steel ball bearings used for long life
- Runners tested to 80,000 open/close movements

#### Durable, scratch resistant drawer sides

- Powder coating
- Smooth finish

#### Easy to clean

- Ease of assembly and adjustment
- Rapid assembly to save time
- Thumbwheel adjustment of front panel height saves time when fitting
- Easy removal and re-connection of drawer fronts

#### German engineering at its best

Offering something that little bit different











## InnoTech Drawer Accessories

#### Innotech Internal Drawer Fronts.

- Available from 300mm-1200mm width
- Available in standard silver and frosted glass.

#### Innotech Cutlery Tray

Available from 300mm-1150mm width, silver

#### Innotech Professional Cutlery Tray

- Available from 300mm-1200mm width, silver with dividing elements.
- Additional dividers available as an option

## Assembly aids for Innotech Drawer Systems





Drilling Jig for Hinges









## InnoTech Drawer Accessories

#### Orga Tray and Accessories

- Orga Tray, 600mm or 900mm width, silver
- Knife Holder, beech (knives not supplied)
- Spice Rack, beech, complete with 10 spice containers
- All items sold separately





#### Orga Store

- Available in 900mm and 1000mm
- 2 Crosswise railing, 4 mounts, and dividing elements
- Pan drawer shown with clear plastic sides



#### InnoTech Plate Holder

- Available in 900mm and 1000mm
- Supplied with 12 beech pins
- Extra pins available



Beech Pin



## Carcase Adjustable Legs and Plinths Clips

- Adjustable height
- Manufactured using high quality thermoplastic resin resistant to humidity and high stress conditions
- Made in Italy!
- Max load 60KG
- Colour: Black
- For use on kitchen and general furniture units











Socket

Adjustable Leg

## Blum AVENTOS HK

AVENTOS HK components are easy to assemble. Once the lift mechanism has been precisely adjusted to the weight and size of the front, AVENTOS HK will open, close and hold with reliable ease. What's more, AVENTOS HK needs no hinges. Lever arms are closed so there are no projecting parts.

#### AVENTOS HK - State-of-the-art stay lifts

International design juries have praised the visual result, and pros appreciate AVENTOS HK as a convenient lift system for mid wall units. The Aventos HK stay lift needs little space – even above fitted cabinets, e.g. above refrigerators.

#### Programme

AVENTOS HK stands for a manageable programme and a wide range of planning options.

- Cabinet heights up to 600 mm
- Cabinet widths up to 1800 mm

Can be used with cornice

- Use with any style of door
- Available in light, medium, heavy, and extra heavy duty depending on weight of door
- Lift mechanisms and front fixing brackets can be used symmetrically

## Easyfit Hinge System


The Easy Fit hinge is a system allowing a standard kitchen fascia to be installed over a freestanding washing machine, tumble dryer or similar appliance. Intended for a 647mm wide door fascia up to 22mm thick. Can be mounted left or right hand. White coated steel.

The East Fit hinge comes with full installation instructions. The Fittings pack contains:

- 1 x 6mm mild steel angle
- 6 x combi screws (4x30)
- 1 x plastic stopper block

- 2 x Face Frame Hinges
- 2 x countersunk carcasse screws (4x 30)





## Blum AVENTOS HF

#### AVENTOS HF for Quality of Motion and Freedom of Design

AVENTOS HF is Blum's award winning fitting system for bi-fold fronts. The system provides endless possibilities in planning design with little installation effort. Aventos HF offers direct access, ease of use and freedom of movement.

- Suitable for cabinet 480 1040mm high and up to 1800mm wide.
- The Aventos HF is suitable for wooden and aluminium framed fronts

Aventos HF is designed for quick and easy assembly – with just a few tools. The lift mechanism can be adjusted with a cordless screwdriver to achieve optimal function.

Aventos HF will open, stop and close with reliable ease.


#### Parts required per Unit:

- 1 x Lift Mechanism Set.
- 1 x Lever Arm Set.
- 1 x Pair of front fixing brackets.
- 1 x cover cap set.


To Calculate the correct power factor multiply your cabinet height(mm) by the door weight including handles (KG)




#### Base Units and Wall Units




### Base Corner Units



#### Drawer Packs and Feature Units



### Wall Corner Units



### 1250mm Studio Height

#### 1245 283 283 570 355 355 355 TMH60


### Angled Units

Wall


 $270 = 715 \times 297$ 

-420 / 370

### **Curved Units**




### 1970mm Tall Oven and Microwave Housings Note: the ovarall guide height for wall unit installation is 2120mm




TAH60(B)

TAH60(D) TAH60(C) TAH60(A)


2150mm Tall Oven and Microwave Housings Note: the overall guide height for wall unit installation is 2300mm




### 1970mm Tall Fridge and Freezer Housings



### 2150mm Tall Fridge and Freezer Housings




### Lacquered Slab Door




#### Door height 715mm (895mm high door is also available in some ranges, please see price list)

### Timber Door




Door height 715mm (895mm high door is also available in some ranges, please see price list)


### Jazi Internal Curve




### 1000mm Curve




### Jazi External Curve




Bow Front Base Unit




External Wall Unit




External Base Unit




Internal Base Unit



Internal Wall Unit




Jazi Corner Solution




# Aperture Sizes

## Priory frame




Door Height (H)	Door Width (W)	Aperture Height (H2)	Aperture Width (W2)
895mm	497mm	724mm	326mm
715mm	497mm	544mm	326mm
715mm	397mm	544mm	226mm
355mm	497mm	497mm	326mm

## Urbani frame



Door Height (H)	Door Width (W)	Aperture Height (H2)	Aperture Width (W2)
895mm	497mm	777mm	379mm
715mm	597mm	597mm	479mm
715mm	497mm	597mm	379mm
715mm	397mm	597mm	279mm
355mm	497mm	237mm	379mm


## Jazi frame



Door Height (H)	Door Width (W)	Aperture Height (H2)	Aperture Width (W2)
895mm	497mm	727mm	354mm
715mm	497mm	547mm	354mm
715mm	397mm	547mm	254mm
355mm	997mm	187mm	854mm
355mm	797mm	187mm	654mm
355mm	597mm	187mm	454mm
355mm	497mm	187mm	354mm


## Aperture Sizes

## Westwood frame




Door Height (H) 355mm	Door Width (W) 496mm	Aperture Height (H2) 162mm	Aperture Width (W2) 300mm
355mm	996mm	162mm	800mm
715mm	396mm	522mm	200mm
715mm	496mm	522mm	300mm
715mm	596mm	522mm	400mm
895mm	496mm	702mm	300mm
1065mm	496mm	872mm	300mm

## Gainsborough frame



Door Height (H) 355mm	Door Width (W) 496mm	Aperture Height (H2) 135mm	Aperture Width (W2) 276mm
355mm	996mm	135mm	776mm
715mm	396mm	495mm	176mm
715mm	496mm	495mm	276mm
715mm	596mm	495mm	376mm
895mm	496mm	675mm	276mm
1065mm	496mm	845mm	276mm

## Gainsborough frame with grille



Door	Door	Aperture	Aperture
Height	Width	Height	Width
(H)	(W)	(H2)	(W2)
715mm	496mm	495mm	276mm
895mm	496mm	675mm	276mm
1065mm	496mm	845mm	276mm


715 x 496mm has a 3 x 2 grille.

895 x 496mm and 1065 x 496mm have a 4 x 2 grille (as shown).



# Aperture Sizes

## Glebe frame



Door Height (H) 355mm	Door Width (W) 496mm	Aperture Height (H2) 170mm	Aperture Width (W2) 312mm
355mm	996mm	170mm	812mm
715mm	396mm	530mm	212mm
715mm	496mm	530mm	312mm
715mm	596mm	530mm	412mm
895mm	496mm	710mm	312mm
1065mm	496mm	880mm	312mm

